

Amendments to the claims:

Please replace all prior versions and listings of the claims with the following amended claims:

Listing of Claims:

- 1 1. (Currently Amended) A device comprising a cleaning head, the cleaning head  
2 comprising:
  - 3 a) a first region with a first squeegee element with elongated walls that protrude to  
4 form an elongated wiping edge configured to treat a working surface, the first  
5 region being configured to move; and
  - 6 b) a second region with bristles configured to simultaneously treat the working  
7 surface,  
8 the second region being configured to move independently of the first region.
- 1 2. (Original) The device of claim 1, wherein the second region further comprises a second  
2 squeegee element.
- 1 3. (Original) The device of claim 1, wherein the first region further comprises bristles.
- 1 4. (Previously Presented) The device of claim 1, wherein the at least one of the first region  
2 and second region is configured to rotate or oscillate.
- 1 5. (Withdrawn) The device of claim 1, wherein the first squeegee element comprises top  
2 wiping squeegee edges and side wiping squeegee edges.
- 1 6. (Original) The device of claim 1, wherein the first squeegee element comprises a  
2 squeegee wall that encircles an inner squeegee region.
- 1 7. (Original) The device of claim 1, wherein the second region comprises a second squeegee  
2 element.

- 1 8. (Withdrawn) The device of claim 7, wherein the second squeegee element comprise top  
2 wiping edges and side wiping edges.
- 1 9. (Withdrawn) The device of claim 1, further comprising a motorized handle configured to  
2 detachably couple the cleaning head.
- 1 10. (Withdrawn) The device of claim 1, wherein a portion of the first squeegee element is  
2 corrugated, rounded, angled or pointed.
- 1 11. (Withdrawn) The device of claim 1, further comprising nodules protruding from the  
2 cleaning head.
- 1 12. (Currently Amended) A device comprising a motorized cleaning head, the motorized  
2 cleaning head comprising:  
3 a) a first region configured to move in a first direction, the first region comprising:  
4 i. a squeegee member with elongated squeegee walls that protrude to  
5 from an elongated wiping edge; and  
6 ii. bristles flanking the elongated walls; and  
7 b) a second region configured to move in a second direction, the second region  
8 comprising a portion of the bristles.
- 1 13. (Currently Amended) The device of claim 12, wherein the elongated squeegee ~~wall is~~  
2 walls are curved.
- 1 14. (Currently Amended) The device of claim 12, wherein the [[the]] first region is  
2 configured to rotate or oscillate.
- 1 15. (Withdrawn) The device of claim 12, wherein one or more of the plurality of fin  
2 structures are curved.
- 1 16. (Currently Amended) The device of claim 12, wherein the elongated squeegee ~~wall~~  
2 encircles walls encircle at least a portion of the bristles.

- 1 17. (Currently Amended) The device of claim 12, wherein the elongated squeegee ~~wall is~~  
2 walls are surrounded by at least a portion of the bristles.
- 1 18. (Withdrawn) The device of claim 12, further comprising nodules.
- 1 19. (Previously Presented) The device of claim 12, wherein the second region is configured to  
2 rotate or oscillate.
- 1 20. (Currently Amended) A cleaning device comprising:  
2 a) a first section configured to automatically rotate or oscillate; and  
3 b) a second section surrounding the first section configured to automatically rotate or  
4 oscillate at a rate or direction that is different from that of the first section,  
5 wherein the first and the second sections comprise bristles.
- 1 21. (Original) The device of claim 20, further comprising one or more squeegee wiping  
2 elements.
- 1 22. (Withdrawn) The device of claim 20, further comprising one or more nodules.
- 1 23. (Withdrawn) The device of claim 20, further comprising a handle.
- 1 24. (Withdrawn) The device of claim 23, wherein the handle is configured to detachably  
2 couple to the first section and the second section.
- 1 25. (Previously Presented) A device comprising a cleaning head comprising:  
2 a) a first wiping region; and  
3 b) a second wiping region, wherein the first wiping region surrounds the second  
4 wiping region and the first wiping region and the second wiping section are  
5 configured to automatically move independently from each other, wherein at least  
6 one of the first wiping region and the second wiping region comprises a squeegee  
7 element.

- 1      26.    (Currently Amended) A device comprising a cleaning head, the cleaning head  
2           comprising:  
3           a)        a first region with a first squeegee element with an elongated wiping edge and  
4                   elongated walls and bristles configured to treat a working surface ~~the first region~~  
5                   ~~being configured to move~~; and  
6           b)        a second region with bristles configured simultaneously treat the working surface;  
7           ~~wherein at least one of the first region and the second region is being configured to move~~  
8           ~~independently of the other of the first region and the second region; and~~  
9           c)        means to couple the cleaning head to a motorized handle that automatically moves  
10                  the first region.

- 1      27.    (Previously Presented) The device of claim 26, wherein the second region further  
2           comprises a second squeegee element.

- 1      28.    (Currently Amended) A device comprising a cleaning head, the cleaning head  
2           comprising:  
3           a)        a first region with a first squeegee element comprising a continuous wiping edge  
4                   configured to treat a working surface the first region being configured to move;  
5                   and  
6           b)        a second region with a second squeegee element configured simultaneously treat  
7                   the working surface,  
8           wherein at least one of the first region and the second region is being configured to move  
9           independently of the other of the first region and the second region.

- 1      29.    (Currently Amended) The device of claim 28, wherein the first region further comprises  
2           bristles ~~element~~.

- 1      30.    (Previously Presented) The device of claim 29, wherein the second region further  
2           comprises bristles.

- 1      31.    (Currently Amended) An electric toothbrush with a cleaning head, the cleaning head  
2           comprising:

- 3           a)     a first region with a continuous squeegee element that encircles a portion of the  
4                     first region, wherein the first region is configured to rotate or oscillate; and  
5           b)     bristle surrounding at least a portion first continuous squeegee element, wherein  
6                     the bristles are configured to rotate or oscillate.

1       32.   (Previously Presented) The electric toothbrush of claim 31, further comprising bristles  
2             protruding from the portion of the first region that is encircled by the continuous squeegee  
           element.

1       33.   (New) An electric toothbrush with a cleaning head, the cleaning head comprising:  
2             a)     a first region with a continuous squeegee element that encircles bristles that  
3                     protrude from the first region and wherein the first region is configured to rotate  
4                     or oscillate; and  
5             b)     a second region configured to automatically move independently from the first  
6                     region, the second region comprising at least one of a squeegee, bristle tufts and  
           nodules.